

DETERMINATION OF ANILINE DEGRADED FROM SUDAN I IN CLOTHS

(Penentuan Anilin Yang Terurai Daripada Sudan I Dalam Kain)

Chong Kian Wei*, Loke Chui Fung and Chan Kar Men

Department of Chemistry and Biology, Faculty of Applied Sciences and Computing, Tunku Abdul Rahman University College, Jalan Genting Kelang, Setapak, 53300 Kuala Lumpur, Malaysia

*Corresponding author: chongkw@acd.tarc.edu.my

Abstract

A method development for the determination of an aromatic amine degraded from in cloths was carried out. Sodium dithionite was used to cleave the azo bond of Sudan I into its aromatic amines, a , mainly aniline were analyzed using high performance liquid chromatography (HPLC) with UV detection. The cy of the reduction process of Sudan I, based on the degree of decolorization of dye, was measured using the spectror no.omete The optimized values of the reduction process was found effective when 1:1 ratio of 0.30% sodium dithionite to an I dit/Sud) was used at pH 8. The recovery percentage and relative standard deviation (R.S.D.) of this method was a 2.9 - 88.4% and 7.6 - 21.5%, respectively. The proposed method was tested on self-dyed cloth samples with Suda J. Anline released from the reduction of Sudan I was detected in the self-dyed cloth samples. The results of this stud the applicability of sodium dithionite for the reduction of the azo dye in the cloth samples.

Keywords: aniline, Sudan I, sodium dithionite, azo dye

Abs rak

Satu perkembangan kaedah untuk penentuan amina k yang terdegradasi daripada pencelup azo dalam kain-kain telah dijalankan. Natrium ditionit telah digunakan uraikan ikatan azo Sudan I kepada amina aromatik, dan amina, terutamanya anilina telah dianalisis dengan me gunakan kromatografi cecair prestasi tinggi dengan pengesanan UV. Kecekapan proses penurunan Sudan I, berdasar enyahwarnaan warna pencelup, telah diukur dengan menggunakan spektrofotometer. Nilai optimum dal penurunan ini telah didapati berkesan apabila nisbah 0.30% natrium ditionit kepada Sudan I (dit/Sud) diguna Peratusan pemulihan dan nilai sisihan piawai relatif (SPR) bagi kaedah ini telah ditentukan sebanyak 62.9 **4**88.4% lan 7. ≥1.5%, masing-masing. Kaedah yang dicadangkan telah diuji ke atas sampel-sampel kain yang telah dicelup liri deng n Sudan I. Anilina yang dibebaskan daripada penurunan Sudan I telah dikesan dalam sampel-sampel kain yang diri. Keputusan kajian ini menunjukkan bahawa kebolehan pengunaan natrium ditionit p se untuk penurunan pencelup azo ampel kain.

Kata kunci: anilina; Sudan I; natrium ditionit; pencelup azo

Introduction

One of the most versatile and largest class of synthetic dyes commonly used today are the azo dyes [1,2]. This is because azo dyes offer a vast spectrum of colors that have good color fastness and are cheaper to be manufactured [3]. Azo dyes are widely used in various industrial application as colorants. Products such as textiles, food, leather, paper, plastics, paints, inks, cosmetics and etc. are known to contain azo colorants [1]. The colors of azo dyes are chracterized by the chromophores associated with the azo groups (-N=N-) [3].

Azo dyes are commonly synthesized by the coupling reaction of a diazotized aromatic amine with another aromatic amine or a phenol [1]. Their structure would contain at least one azo group (-N=N-) bonded to an aromatic ring (R-NH₂) [4]. Not only is the dye itself that is hazardous, but the aromatic amine when it is cleaved from the dye poses as dangerous by-products [5]. The problem with azo dyes arises primarily from the reduction of the azo group causing them to be potentially toxic [1]. This poses a risk to consumers because some of the aromatic amines formed may be confirmed or suspected carcinogens. Azo dyes are easily reduced under anaerobic conditions to

form aromatic amines and are relatively resistant to aerobic degradation [3]. The electron density of the azo bond affects the degree of degradation of the azo dye by reduction. Electron withdrawing groups can be used to reduce the electron density of the azo bond thus, causing degradation of the azo dye and releasing the colorless aromatic amines [5].

In many developing countries where the textile industry is a major industrial sector, which is a major source of discharged dye wastewater that pollutes the natural water source systems. The discharge of this large quantity of industrial wastewater containing azo dyes is a primary concern. The concerns include harming the aquatic life (both flora and fauna) as well as decreasing the aesthetic aspects of the water, since azo dyes are not biodegradable in aerobic conditions, not to mention public human health. Coloured water may reduce light penetration from the sun, causing primary aquatic plant productivity to decrease [4].

One can be exposed to azo dyes via dermal absorption, inhalation and oral ingestion [6]. Furthermore, it was discovered that the azo group can be cleaved by skin microflora, azoreductases in intestinal bacteria and liver cells [3]. Besides that, photochemical reactions through human sweat and dyes on clothic could also form aromatic amines [2]. Sudan I is one of the many types of synthetic azo dyes and it would form the when cleaved at the azo bond. Both Sudan I and aniline are classified under the category 3 of carcinogen by a International Agency for Research on Cancer (IARC), which means that these chemicals are harzardour but, air carcinogenicity cannot be specifically classified to humans, although some forms of bladder and liver varicen were observed in mice and rats [7,8].

Given the potential harzardous impact of aniline in daily consumer activities, it is necessary to develop a quick and inexpensive mechanism to detect and measure this compound. This sturble efore aims to (i) develop an optimized method to degrade Sudan I and (ii) determine the amount of anili explicit each be found in cloths dyed with Sudan I. These objectives enable researchers to measure the potential by a copy lyed textiles based on the amount of aniline that could be released from Sudan I, with the intention of traising awareness to the impacts of these dyes have towards to the consumers and environment.

release aromatic amines from different samples such as Several methods have been used to degrade azo dyes textiles [5], leather [9], hair dyes [10] and toy p od. (I). Other reagents such as hydrogen peroxide (coupled with idix ng agent that could also degrade azo dyes. The methods used UV radiation) [11] and Fenton's reagent [4] are in these researches were mostly complex ve. Biological treatment on azo dyes with azoreductases [12], laccases [13], extracellular fluid protein m Streptomyces species [14] and bacterial strain Shewanellaoneidensis MR-1 [15] were also possible. How aing of biological entities or products are demanding as incubation and pretreatment procedure are . Sodium dithionite is commonly used as a reducing agent for the reduction of dye [1,5,9]. The the effectiveness of this reagent which had been employed by other researchers in their st s; therefore It was selected to be used to degrade Sudan I azo dye in this study. In this study, the parameters su s concentration of sodium dithionite, dit/Sud ratio, temperature of reduction and pH ree of decolorization which was measured using the spectrophotometer. The were studied based on the optimized values were then applied on self-dyed cloth samples to test the applicability of the proposed method. The determination of the released aniline from the Sudan azo dye was carried out using HPLC.

Experimental

Reagents

The aromatic amine, aniline ($C_6H_5NH_2$, $\geq 98.5\%$ purity) and azo dye, Sudan I ($C_{16}H_{12}N_2O$, pure) were purchased from BDH Chemicals Ltd (England) and Acros Organics (Belgium). The reducing agent, sodium dithionite ($Na_2S_2O_4$) was purchased from Systerm® (Malaysia). Ammonium dihydrogen phosphate (($Na_4H_2PO_4 \geq 99\%$ purity) and disodium hydrogen phosphate ($Na_2H_2PO_4 \geq 99\%$ purity), which were used to prepare phosphate buffer solution for chromatographic analysis were purchased from Merck (Germany) and Fisher Scientific (United Kingdom). Liquid chromatography (HPLC) grade methanol (Merck, Germany) was used as an organic solvent to dissolve aniline and Sudan I azo dye into solutions. 18 m Ω water was used to prepare HPLC mobile phase throughout the study. Stock solution of 0.1% aniline was prepared by dissolving suitable amount of aniline in 100 mL of HPLC grade methanol. A series of concentration of aniline solution from 2 to 10 ppm were prepared by diluting the stock solution with methanol followed by optimum amount of sodium dithionite solution. The pH of

each prepared standard solution was adjusted to optimum pH before analyzed using HPLC. Sodium dithionite solutions were freshly prepared before used.

Apparatus and operating conditions

The equipment consists of a vacuum degasser, autosampler, UV/Vis Detector and pump (Series 200, Perkin Elmer, United States) was used to determine aniline in the reduced Sudan I azo dye solution. The system is computer-controlled (Windows XP Professional operating system), using the the Total Chrom Navigator software package. HPLC separations were carried out using a reversed phase column of ZORBAX SB-Phenyl column (4.6 mm I.D x 250 mm length, and 5 μ m particle size, Agilent Technology, United States). The guard-column was of the same type of separation column (4.6 mm I.D. x 12.5 mm length and 5 μ m particle size). The chromatographic eluent consisted of 70% methanol and 30% of ammonium dihydrogen phosphate/disodium hydrogen phosphate buffer solution at pH 6.9. For analysis, 15 μ L of the sample solution were injected at a flow-rate of 1 mL/min and at room temperature. The analysis run time was 10 min. The UV-spectra were recorded at 231 nm. MERCK UV-Spectroquant Pharo 100 spectrophotometer was used to measure the color absorption of Sudan I azo dye solution at 476 nm using 10 mL cell tube.

Optimization of dit/Sud ratio, reduction temperature, pH and recovery

Various concentrations of sodium dithionite aqueous solutions were mixed with unt of 10 ppm Sudan I azo dye solution in methanol to study the effect of the sodium dithionite concer ration toward the decolorization of the Sudan I azo dye solution. Each mixture was shaken for 1 minute and ft at temperature for 15 minutes of Sudan I azo dye to aniline was before measured using spectrophotometer at 476 nm. The reduction temper studied from room temperature to 70 °C. The effect of the pH of the so than diffusion toward the reduction of the Sudan I azo dye to aniline was studied from pH 2 to 10. 10 of Sudan I azo dye solutions were treated under the optimum conditions before analyzed using HP etected aniline amounts were calculated and compared to the stoichiometric amount of aniline releas e reduction of Sudan I. Each concentration was repeated three times.

Sample preparation and extraction

The application of the proposed method was carried of an a self-dyed cloth. Three pieces of 20 x 20 cm of plain white cotton cloth weighted approximately 9 gr m, are vashed in hot distilled water followed by 100 mL of 0.1 M nitric acid to eliminate any possible colorant the adsorbed on the cloths before dried in oven at 100 °C. Each cloth was soaked in 100 mL of 0.5% Sudan I at o eye section in methanol for up to 12 hours. The dyed cloths were then air dried at room temperature. Sudan was extracted from the cloths using 100 mL of methanol at room temperature for 1 hour. 5 mL of the concrete solution containing Sudan I was subjected to the optimum conditions treatment before analyzed using the IPL.

Results and Discussion

Optimization of sodium bionite concentration

Sodium dithionite is an effect of educing agent to cleave Sudan I azo dye to aromatic amine compounds. However, the optimum amount needs to be determined. Three different concentrations of sodium dithionite solution were used. Each concentration of sodium dithionite was mixed with different volume of Sudan I azo dye solution. Each mixture absorbance was measured using spectrophotometer to determine the decrement of the absorbance. Measured absorbances were compared with the blank without sodium ditionite. The results are shown in Figure 1. It indicates that higher sodium dithionite concentrations solution decolourized Sudan I azo dye solution at a lower dit/Sud ratio. In general, all three different sodium dithionite concentrations decreased the Sudan I azo dye solution absorbance when the higher ratio of dit/Sud was used. The dit/Sud ratios that completely decolourized the Sudan azo dye solution occurs at 7:3, 5:5 and 3:7 for 0.21%, 0.25% and 0.30% sodium dithionite solution, respectively. This is because higher concentration of reducing agent provides more reducing power to reduce the dye even at lower ratio.




Figure 1. Effect of the sodium dithionite concentration on the reduction of dan I azo dye at different ratios of dit/Sud.

Optimization of reduction temperature

The mixtures of various concentrations of sodium dithionite solution with azo dye solution at various ratios were heated at four different temperatures for 15 minutes before spec notometry measurement was carried out to study the effect of the temperature on the reduction of Sudan aniline. The obtained results are shown in Figure 2a to Figure 2c. The observed general trend is that dan azo dye absorbances decrease when wn in Figure 2a, fully decolorization of dit/Sud ratios increase at these four different reduction temperaty Sudan I azo dye occurred at ratio 7:3 for reduction temperatu coor temperature, 40, 50 and 60 °C. Reduction temperature at 70°C accelerated the Sudan I azo dye fully aion from ratio 7:3 to 6:4. Ratios below 6:4 ecolo does not show an orderly decrement of absorbance the reduction temperature increases from room temperature to 70 °C. The effects of reduction temp ature v Te more obvious (Figure 2b) when 0.25% sodium dithionite was used. The increment of the reduction perature from room temperature to 70 °C accelerated the decolorization of the dye from ratio 6:4 to as shown in Figure 2c, the increasing reduction temperatures does not show any significant the decolorization of dye when 0.30% sodium dithionite solution was used. In this concentration, of concentration is more significant than the temperature toward the decolorization of the Sudan I azo dye ince there were no obvious temperature effect on the decolorization of the Sudan I azo dye in 0.30% sodiu solution. Therefore, heating is unnecessary to be incorporated into the developed method if 0.32% so ionite was chosen to be used to decolorize the dye.




Figure 2a. Effect of temperature on the reduction of dye in 0.21% sodium dithionite.




Figure 2b. Effect of temperature on the reduction of dye in 0.25% sodius. It is in the control of the control o




Figure 2c. Effect of toper. On the reduction of dye in 0.30% sodium dithionite.

Optimization of reduce pH

The effects of the reducing pH on the Sudan I azo dye decolorization was studied by altering the sodium dithionite solution pH using either HCl or NaOH. The pH ranges from 2 to 10 was studied. The effects of the sodium dithionite pH on the dye decolorization in 0.21% and 0.30% of sodium dithionite solution are presented in Figure 3a, 3b and 3c. All figures show a significant and obvious trend that alkaline sodium dithionite solution decolorized the Sudan I azo dye faster than the acidic sodium dithionite solution. The alkaline curves are slightly below the neutral curve. This shows that alkaline sodium dithionite did not enhance much the reduction of the dye compared to the neutral sodium dithionite solution. However, curve that produced by pH 2 sodium dithionite shows a significant decrement of the decolorization of the dye in all three concentrations. This is because sodium dithionite is unstable in acidic condition and decomposes to sodium thiosulfate and sodium bisulfate [16]. pH 8 was chosen as optimum value instead of pH 10. This is because it is enough to maintain the stability of the sodium dithionite at pH 8. Moreover, the degrees of decolorization of Sudan I azo dye solution by sodium dithionite at pH 8 and 10 are almost similar in 0.30% sodium dithionite.




Figure 3a. Effect of the pH on the reduction of dye in 0.2 % soc. additionite.




Figure 3b. Effect of the pH on the reduction of dye in 0.25% sodium dithionite.




Figure 3c. Effect of the pH on the reduction of dye in 0.3 4 soo. dithionite.

Optimization of dithionite/Sudan I ratio

The optimization of dit/Sud ratio was studied throughout the optimization process for concentration, temperature and pH parameters. As shown in the results, the dit/Sud ratio was complete decolorization of Sudan I azo dye mostly occurs from ratio 5:5 and above. Therefore, the suitable optimum ratio to be used is 1:1 of dit/Sud (v/v).

Recovery percentage

Five different concentrations of Sudan I azo dye chation were subjected to sodium dithionite treatment at optimum conditions. Each concentration was repeated there was to obtain each concentration relative standard deviation. The recovery percentage of aniline relative and Sudan I azo dye reduction is calculated based on the stoichiometric amount of aniline, which theoretically released from the Sudan I azo dye in accordance to the following chemical equation (1):

Analyzed results were calibrated using aniline spiked standard in sodium dithionite solution. Aniline peak was detected at around 3.84 min throughout the 10 min run time. The linear correlation value (R²) obtained from the standard curve is 0.9975 and the minimum detection limit calculated based on the calibration line equation is approximately 0.6 ppm by substituting zero to the y value.

The recovery percentage results are shown in Table 1. The recovery percentage at lower concentrations are slightly below 70%; whereas, higher concentrations are more than 70%. The overall recoveries in the range of concentration from 10 to 200 ppm are within 62.9 - 88.4% with R.S.D. values at 7.6 - 21.5%.

Table 1. The recovery percentages and R.S.D. of different Sudan I concentrations.

Concentration. Of Sudan I (ppm)	Recovery %				R.S.D.
	Duplicate 1	Duplicate 2	Duplicate 3	Average	(%)
10	58.3	67.8	62.7	62.9	7.6
30	72.9	70.7	61.1	68.2	9.2
80	99.1	83.8	64.8	82.6	20.8
150	100.0	82.3	921	88.4	11.3
200	82.1	100.	4.9	82.4	21.5

Note: RSD represents Relative Standard Deviation

Application of the optimized method on self-dved cloth sample

Sudan I azo dye was extracted from a self-dyed cloth using met wol. The extracted dye solution was treated with sodium dithionite under optimum conditions to reduce the tye into as aromatic amine. Amount of aniline which was released into the solution, was determined using HPP C. We obtained average result is 28.3 mg/kg with 1.2% of the relative standard deviation.

one sion

Sodium dithionite is a very effective reducing reduce Sudan I azo dye in alkaline condition. It is able to cleave Sudan I azo dye to 1-aminonapht and aniline. In this study, it was found that 0.3% of sodium dithionite needs to be used to decolorize udan I azo dye at dit/sud ratio of 1:1 at pH 8. When 0.3% of sodium e sodium dithionite and the Sudan I azo dye is unnecessary because dithionite was used, heating of the n the decolorization of the dx is etributed by the concentration of the sodium dithionite rather than the temperature. Moreover, high hating perature could decompose sodium dithionite. The minimum amount of the the RPLC is approximately 0.6 ppm equivalent to 6.7 mg/kg if 9 gram of sample aniline that could be d cted by was used. Overall recov were 62.9 - 88.4% with R.S.D. values at 7.6 - 21.5%. Three pieces of cloths were dyed with Sudan I azo dye extracted using methanol. Extracted Sudan I azo dye was subjected to optimum conditions treatment before analyzed using HPLC to determine the amount of aniline released from the adsorbed Sudan I azo dye onto the cloths. The obtained average result for the self-dyed cloth is 28.3 mg/kg with R.S.D. value at 1.2%.

Acknowledgement

The authors would like to thank Tunku Abdul Rahman University College for providing the necessary equipments and supporting this research.

References

- 1. Garrigós, M.C., Reche, F., Marin, M.L., & Jiménez, A. (2002). Determination of Aromatic Amines Formed from Azo Colorants in Toy Products. *J. Chromatogr. A.* 976, 309-317.
- 2. Li, H., Xiong, Z., Dai, X., & Zeng, Q. (2012). The Effect of Perspiration on Photo-induced Chemical Reaction of Azo Dyes and The Determination of Aromatic Amine Products. *Dyes pigments*. 94, 55-59.
- 3. Ahlström, L.H., Eskilsson, C.S., & Björklund, E. (2005). Determination of Banned Azo Dyes in Consumer Goods. *Trend Anal. Chem.*. 24(1), 49-56.

- Rodrigues, C.S.D., Madeira, L.M., & Boaventura, A.R. (2008). Optimization of The Azo Dye Procion Red H-EXL Degradation by Fenton's Reagent Using Experimental Design. J. Hazard. Mater. 164, 987-994.
- 5. Pielesz, A., Baranowska, I., Rybak, A., & Wlochowicz, A. (2002). Detection and Determination of Aromatic Amines as Products of Reductive Splitting from Selected Azo Dyes. *Ecotoxicol. Environ. Saf.* 53, 42-47.
- Gómez, J.L., León, G., Hidalgo, A.M., Gómez, M., Murcia, M.D., & Griñàn, G. (2009). Application of Reverse Osmosis to Remove Aniline from Wastewater. *Desalination*. 245, 687-693.
- 7. International Agency for Research on Cancer. (1975). Monographs on The Evaluation of Carcinogenic Risks to Humans and Their Supplements. *IARC*. 8, 225–241.
- 8. International Agency for Research on Cancer. (1987). IARC Monographs on The Evaluation of The Carcinogenic Risks to Humans. Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42. Supplement 7. France; IARC.
- 9. Eskilsson, C.S., Davidsson, R., & Mathiasson, L. (2002). Harmful Azo Colorants in Leather. Determination Based on Their Cleavage and Extraction of Corresponding Carcinogenic Aromatic Amines Using Modern Extraction Techniques. *J. Chromatogr. A.* 955, 215-227.
- Pricelius, S., Held, C., Sollner, S., Deller, S., Murkovic, M., Ullrich, R., Hofatter, M., Cavaco-Paulo, A., Macheroux, P., & Guebitz, G.M. (2007). Enzymatic Reduction and Oxidation Fiber-bound Azo-dyes. Enzyme Microb. Technol. 40, 1732-1738.
- 11. Shu, H.Y., Chang, M.C., & Fan, H.J. (2004). Decolorization of Azo Dye Acid Planeth The UV/H₂O₂ Process and Optimization of Operating Parameters. *J. Hazard. Mater.* B113, 201-20
- 12. Lui, G., Zhou, J., Wang, J., Zhou. M., Lu, H., & Jin, R. (2009). Acceptate Azo Dye Decolorization by Using Quinone Reductase Activity of Azoreductase and Quinone Reductator. *Bioresour. Technol.* 100, 2791-2795.
- 13. Zille, A., Górnacka, B., Rehorek, A., & Cavaco-Paulo, A. (200 Degradation of Azo Dyes by *Trametes villosa* Laccase Over Long Periods of Oxidative Conditions. App. Enveron. Microbiol. 71(11), 6711-6718.
- 14. Bhaskar, M., Gnanamani, A., Ganeshjeevan, R.J., Chandras Sr. P., Sadulla, S., & Radhakrishnan, G. (2003). Analyses of Carcinogenic Aromatic Amines Released from Harmul Azo Colorants by *Streptomyces* SP. SS07. *J. Chromatogr. A.* 1018, 117-123.
- 15. Ji, Q., Lui, G., Zhou, J., Wang, J., Jin, R., & J., H. (2/12). Removal of Water-insoluble Sudan Dyes by *Shewanella oneidensis* MR-1. *Bioresour. Technol.* 4, 144-148.
- 16. Lister, M. W. & Garvie, R. C., (1959) Sodi my hid Ate, Decomposition in Aqueous Solution and in The Solid State. *Can. J. Chem.* 37, 1567-1574.

